

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Киргизия (996)312-96-26-47

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Россия (495)268-04-70

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93
Казахстан (772)734-952-31



sun | power VL

Series OPzS/OPzS bloc

Vented lead-acid batteries
for cyclic applications

sun | power vL Series OPzS

Typical applications:

- Village power supplies
- Hybrid systems
- Peak Shaving/voltage stabilisation
- Stations for mobile communications
- Sustainable tourism
- Cathodic corrosion protection
- Pumping systems

Your benefits:

- Highest cycle stability during PSoC¹ operation – due to tubular plate design with efficient charge current acceptance
- Maximum energy efficiency by optimised electrolyte recirculation **sun | air** prepared as standard
- Maximum compatibility – dimensions according to DIN 40736-1
- Higher short-circuit safety even during the installation – based on HOPPECKE system connectors

sun | power vL Series OPzS bloc

Typical applications:


- Solar home storage systems
- Street lighting
- Signalling systems
- Medical care facilities
- Hybrid systems
- Stations of mobile communications

Your benefits:

- Very high cycle stability during PSoC¹ operation – due to tubular plate design with efficient charge current acceptance
- Maximum compatibility – dimensions according to DIN 40737-3
- Easy assembly and installation – battery lid with integral handle
- Higher short-circuit safety even during the installation – based on HOPPECKE system connectors



Service life in cycles and Depth of Discharge



¹ Partial State of Charge

Capacities, dimensions and weights



Series OPzS bloc	Nominal voltage V	C _{100h} /1.85 V Ah	C _{50h} /1.85 V Ah	C _{24h} /1.83 V Ah	C _{10h} /1.80 V Ah	C _{5h} /1.77 V Ah	ca. Weight kg	Weight electrolyte kg (1.24 kg/l)	max.* Length L mm	max.* Width W mm	max.* Height H mm	Fig.
sun power vL 12-70	12	70	65	60	50	44	37.0	15.0	272	205	383	A
sun power vL 12-130	12	130	130	120	101	88	48.0	13.0	272	205	383	A
sun power vL 12-200	12	200	190	180	151	132	68.0	18.0	380	205	383	A
sun power vL 6-270	6	270	255	240	202	176	47.0	13.0	272	205	383	B
sun power vL 6-330	6	330	320	298	252	220	61.0	20.0	380	205	383	B
sun power vL 6-400	6	400	380	358	302	264	67.0	18.0	380	205	383	B

Series OPzS	Nominal voltage V	C _{100h} /1.85 V Ah	C _{50h} /1.85 V Ah	C _{24h} /1.83 V Ah	C _{10h} /1.80 V Ah	C _{5h} /1.77 V Ah	ca. Weight kg	Weight electrolyte kg (1.24 kg/l)	max.* Length L mm	max.* Width W mm	max.* Height H mm	Fig.
sun power vL 2-280	2	280	265	245	213	182	17.1	4.5	105	208	420	C
sun power vL 2-350	2	350	330	307	266	227	20.7	5.6	126	208	420	C
sun power vL 2-420	2	420	395	370	320	273	24.6	6.7	147	208	420	C
sun power vL 2-520	2	520	490	454	390	345	29.1	8.5	126	208	535	C
sun power vL 2-620	2	620	585	542	468	414	34.1	10.1	147	208	535	C
sun power vL 2-730	2	730	685	634	546	483	39.2	11.7	168	208	535	C
sun power vL 2-910	2	910	860	797	686	590	46.1	13.3	147	208	710	C
sun power vL 2-1070	2	1070	1002	930	801	691	59.1	16.7	215	193	710	D
sun power vL 2-1220	2	1220	1145	1063	915	790	63.1	17.3	215	193	710	D
sun power vL 2-1370	2	1370	1283	1192	1026	887	72.4	20.5	215	235	710	D
sun power vL 2-1520	2	1520	1425	1325	1140	985	76.4	21.1	215	235	710	D
sun power vL 2-1670	2	1670	1572	1459	1256	1086	86.6	25.2	215	277	710	D
sun power vL 2-1820	2	1820	1715	1591	1370	1185	90.6	25.8	215	277	710	D
sun power vL 2-2170	2	2170	2010	1843	1610	1400	110.4	32.7	215	277	855	D
sun power vL 2-2540	2	2540	2349	2163	1881	1632	142.3	46.2	215	400	815	E
sun power vL 2-2900	2	2900	2685	2472	2150	1865	150.9	45.9	215	400	815	E
sun power vL 2-3250	2	3250	3015	2765	2412	2097	179.1	56.4	215	490	815	F
sun power vL 2-3610	2	3610	3350	3072	2680	2330	187.3	55.7	215	490	815	F
sun power vL 2-3980	2	3980	3685	3382	2952	2562	212.5	67.0	215	580	815	F
sun power vL 2-4340	2	4340	4020	3696	3220	2795	221.2	66.4	215	580	815	F
sun power vL 2-4700	2	4700	4355	4004	3488	3028	229.6	65.4	215	580	815	F

C_{100h}, C_{50h}, C_{24h}, C_{10h} and C_{5h} = Capacity at 100 h, 50 h, 24 h, 10 h and 5 h discharge



* According to DIN 40736-1 data to be understood as maximum values.

Fig. A Series OPzS bloc




sun | power vL 12-70 -
sun | power vL 12-200

Fig. B Series OPzS bloc




sun | power vL 6-270 -
sun | power vL 6-400

Fig. C Series OPzS




sun | power vL 2-280 -
sun | power vL 2-910

Fig. D Series OPzS




sun | power vL 2-1070 -
sun | power vL 2-2170

Fig. E Series OPzS




sun | power vL 2-2540 -
sun | power vL 2-2900

Fig. F Series OPzS



sun | power vL 2-3250 -
sun | power vL 2-4700



**Optimal environmental compatibility –
closed loop for recovery of materials in an accredited recycling system**
IEC 60896-11 · IEC 61427

Алматы (7273)495-231

Ангарск (3955)60-70-56

Архангельск (8182)63-90-72

Астрахань (8512)99-46-04

Барнаул (3852)73-04-60

Белгород (4722)40-23-64

Благовещенск (4162)22-76-07

Брянск (4832)59-03-52

Владивосток (423)249-28-31

Владикавказ (8672)28-90-48

Владимир (4922)49-43-18

Волгоград (844)278-03-48

Вологда (8172)26-41-59

Воронеж (473)204-51-73

Екатеринбург (343)384-55-89

Иваново (4932)77-34-06

Ижевск (3412)26-03-58

Иркутск (395)279-98-46

Казань (843)206-01-48

Калининград (4012)72-03-81

Калуга (4842)92-23-67

Кемерово (3842)65-04-62

Киров (8332)68-02-04

Коломна (4966)23-41-49

Кострома (4942)77-07-48

Краснодар (861)203-40-90

Красноярск (391)204-63-61

Курск (4712)77-13-04

Курган (3522)50-90-47

Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13

Москва (495)268-04-70

Мурманск (8152)59-64-93

Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12

Новокузнецк (3843)20-46-81

Ноябрьск (3496)41-32-12

Новосибирск (383)227-86-73

Киргизия (996)312-96-26-47

Омск (3812)21-46-40

Орел (4862)44-53-42

Оренбург (3532)37-68-04

Пенза (8412)22-31-16

Петрозаводск (8142)55-98-37

Псков (8112)59-10-37

Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64

Самара (846)206-03-16

Саранск (8342)22-96-24

Санкт-Петербург (812)309-46-40

Саратов (845)249-38-78

Севастополь (8692)22-31-93

Симферополь (3652)67-13-56

Смоленск (4812)29-41-54

Сочи (862)225-72-31

Ставрополь (8652)20-65-13

Сургут (3462)77-98-35

Россия (495)268-04-70

Сыктывкар (8212)25-95-17

Тамбов (4752)50-40-97

Тверь (4822)63-31-35

Тольятти (8482)63-91-07

Томск (3822)98-41-53

Тула (4872)33-79-87

Тюмень (3452)66-21-18

Ульяновск (8422)24-23-59

Улан-Удэ (3012)59-97-51

Уфа (347)229-48-12

Хабаровск (4212)92-98-04

Чебоксары (8352)28-53-07

Челябинск (351)202-03-61

Череповец (8202)49-02-64

Чита (3022)38-34-83

Якутск (4112)23-90-97

Ярославль (4852)69-52-93

Казахстан (772)734-952-31